

AS568계열

| 표준규격 | O-RING 사이즈 | | | | 표준규격 | O-RING 사이즈 | | | |
|-----------|------------|-------|----------|-----------|-----------|------------|-------|----------|-------|
| | T/오차범위 | | I.D/오차범위 | | | T/오차범위 | | I.D/오차범위 | |
| AS568-001 | 1.02 | ±0.07 | 0.74 | ±0.10 | AS568-041 | 1.78 | ±0.07 | 75.92 | ±0.38 |
| AS568-002 | 1.27 | | 1.07 | | AS568-042 | | | 82.27 | |
| AS568-003 | 1.52 | | 1.42 | | AS568-043 | | | 88.62 | |
| AS568-004 | 1.78 | | 1.78 | AS568-044 | 94.97 | | | | |
| AS568-005 | | | 2.57 | AS568-045 | 101.32 | | | | |
| AS568-006 | | | 2.9 | AS568-046 | 107.67 | | | | |
| AS568-007 | | | 3.68 | AS568-047 | 114.02 | | | | |
| AS568-008 | | | 4.47 | AS568-048 | 120.37 | | | | |
| AS568-009 | | | 5.28 | AS568-049 | 126.72 | | | | |
| AS568-010 | | | 6.07 | AS568-050 | 133.07 | | | | |
| AS568-011 | | | 7.65 | ±0.12 | AS568-102 | 1.24 | ±0.12 | | |
| AS568-012 | | | 9.25 | | AS568-103 | 2.06 | | | |
| AS568-013 | | | 10.82 | | AS568-104 | 2.84 | | | |
| AS568-014 | | | 12.42 | | AS568-105 | 3.63 | | | |
| AS568-015 | | | 14 | | AS568-106 | 4.42 | | | |
| AS568-016 | | | 15.6 | AS568-107 | 5.23 | | | | |
| AS568-017 | | | 17.17 | AS568-108 | 6.02 | | | | |
| AS568-018 | | | 18.77 | AS568-109 | 7.59 | | | | |
| AS568-019 | | | 20.35 | ±0.15 | AS568-110 | 9.19 | | | |
| AS568-020 | | | 21.95 | | AS568-111 | 10.77 | | | |
| AS568-021 | | | 23.52 | | AS568-112 | 12.37 | | | |
| AS568-022 | | | 25.12 | | AS568-113 | 13.94 | | | |
| AS568-023 | | | 26.7 | | AS568-114 | 15.54 | | | |
| AS568-024 | | | 28.3 | ±0.25 | AS568-115 | 17.12 | | | |
| AS568-025 | | | 29.87 | | AS568-116 | 18.72 | | | |
| AS568-026 | | | 31.47 | | AS568-117 | 20.29 | | | |
| AS568-027 | | | 33.05 | | AS568-118 | 21.89 | | | |
| AS568-028 | | | 34.65 | | AS568-119 | 23.47 | | | |
| AS568-029 | | | 37.82 | ±0.38 | AS568-120 | 25.07 | ±0.15 | | |
| AS568-030 | | | 41 | | AS568-121 | 26.64 | | | |
| AS568-031 | | | 44.17 | | AS568-122 | 28.24 | | | |
| AS568-032 | | | 47.35 | | AS568-123 | 29.82 | | | |
| AS568-033 | | | 50.52 | | AS568-124 | 31.42 | | | |
| AS568-034 | | | 53.7 | | AS568-125 | 32.99 | | | |
| AS568-035 | | | 56.87 | | AS568-126 | 34.59 | | | |
| AS568-036 | | | 60.05 | | AS568-127 | 36.17 | | | |
| AS568-037 | | | 63.22 | AS568-128 | 37.77 | ±0.25 | | | |
| AS568-038 | | | 66.4 | AS568-129 | 39.34 | | | | |
| AS568-039 | | | 69.57 | AS568-130 | 40.94 | | | | |
| AS568-040 | | | 72.75 | AS568-131 | 42.52 | | | | |

AS568계열

| 표준규격 | O-RING 사이즈 | | | | 표준규격 | O-RING 사이즈 | | | |
|-----------|------------|-------|----------|-----------|-----------|------------|-------|----------|-------|
| | T/오차범위 | | I.D/오차범위 | | | T/오차범위 | | I.D/오차범위 | |
| AS568-132 | 2.62 | ±0.07 | 44.12 | ±0.25 | AS568-172 | 2.62 | ±0.07 | 209.22 | ±0.76 |
| AS568-133 | | | 45.69 | | AS568-173 | | | 215.57 | |
| AS568-134 | | | 47.29 | | AS568-174 | | | 221.92 | |
| AS568-135 | | | 48.9 | | AS568-175 | | | 228.27 | |
| AS568-136 | | | 50.47 | | AS568-176 | | | 234.62 | |
| AS568-137 | | | 52.07 | | AS568-177 | | | 240.97 | |
| AS568-138 | | | 53.64 | | AS568-178 | | | 247.32 | |
| AS568-139 | | | 55.24 | AS568-201 | 3.53 | ±0.10 | 4.34 | ±0.12 | |
| AS568-140 | | | 56.82 | AS568-202 | | | 5.94 | | |
| AS568-141 | | | 58.42 | AS568-203 | | | 7.52 | | |
| AS568-142 | | | 59.99 | AS568-204 | | | 9.12 | | |
| AS568-143 | | | 61.6 | AS568-205 | | | 10.69 | | |
| AS568-144 | | | 63.17 | AS568-206 | | | 12.29 | | |
| AS568-145 | | | 64.77 | AS568-207 | | | 13.87 | | |
| AS568-146 | | | 66.34 | AS568-208 | | | 15.47 | | |
| AS568-147 | | | 67.94 | AS568-209 | | | 17.04 | | |
| AS568-148 | | | 69.52 | AS568-210 | | | 18.64 | ±0.15 | |
| AS568-149 | | | 71.12 | AS568-211 | | | 20.22 | | |
| AS568-150 | | | 72.69 | AS568-212 | | | 21.82 | | |
| AS568-151 | | | 75.87 | AS568-213 | | | 23.39 | | |
| AS568-152 | | | 82.22 | AS568-214 | | | 24.99 | | |
| AS568-153 | | | 88.57 | AS568-215 | | | 26.57 | | |
| AS568-154 | | | 94.92 | AS568-216 | | | 28.17 | | |
| AS568-155 | | | 101.27 | AS568-217 | | | 29.74 | | |
| AS568-156 | | | 107.62 | AS568-218 | | | 31.34 | | |
| AS568-157 | | | 113.97 | AS568-219 | | | 32.92 | | |
| AS568-158 | | | 120.32 | AS568-220 | | | 34.52 | | |
| AS568-159 | | | 126.67 | AS568-221 | | | 36.09 | | |
| AS568-160 | | | 133.02 | AS568-222 | | | 37.69 | ±0.25 | |
| AS568-161 | | | 139.37 | AS568-223 | | | 40.87 | | |
| AS568-162 | | | 145.72 | AS568-224 | | | 44.04 | | |
| AS568-163 | | | 152.07 | AS568-225 | | | 47.22 | | |
| AS568-164 | | | 158.42 | AS568-226 | | | 50.9 | | |
| AS568-165 | | | 164.77 | AS568-227 | | | 53.57 | | |
| AS568-166 | | | 171.12 | AS568-228 | | | 56.74 | | |
| AS568-167 | | | 177.47 | AS568-229 | | | 59.92 | | |
| AS568-168 | | | 183.82 | AS568-230 | | | 63.09 | | |
| AS568-169 | | | 190.17 | AS568-231 | | | 66.27 | | |
| AS568-170 | | | 196.52 | AS568-232 | | | 69.44 | ±0.38 | |
| AS568-171 | | | 202.7 | AS568-233 | | | 72.62 | | |

AS568계열

| 표준규격 | O-RING 사이즈 | | | | 표준규격 | O-RING 사이즈 | | | |
|-----------|------------|-------|----------|-----------|-----------|------------|-------|----------|-------|
| | T/오차범위 | | I.D/오차범위 | | | T/오차범위 | | I.D/오차범위 | |
| AS568-234 | 3.53 | ±0.10 | 75.79 | ±0.38 | AS568-274 | 3.53 | ±0.10 | 253.59 | ±0.76 |
| AS568-235 | | | 78.97 | | AS568-275 | | | 266.29 | |
| AS568-236 | | | 82.14 | | AS568-276 | | | 278.99 | |
| AS568-237 | | | 85.32 | | AS568-277 | | | 291.69 | |
| AS568-238 | | | 88.49 | | AS568-278 | | | 304.39 | |
| AS568-239 | | | 91.67 | | AS568-279 | | | 329.79 | |
| AS568-240 | | | 94.84 | | AS568-280 | | | 355.19 | |
| AS568-241 | | | 98.02 | | AS568-281 | | | 380.59 | |
| AS568-242 | | | 101.19 | | AS568-282 | | | 405.26 | ±1.14 |
| AS568-243 | | | 104.37 | | AS568-283 | | | 430.66 | |
| AS568-244 | | | 107.54 | AS568-284 | 456.06 | | | | |
| AS568-245 | | | 110.72 | AS568-309 | 10.46 | ±0.12 | | | |
| AS568-246 | | | 113.89 | AS568-310 | 12.06 | | | | |
| AS568-247 | | | 117.07 | AS568-311 | 13.64 | | | | |
| AS568-248 | | | 120.24 | AS568-312 | 15.24 | | | | |
| AS568-249 | | | 123.42 | AS568-313 | 16.81 | | | | |
| AS568-250 | | | 126.59 | AS568-314 | 18.42 | ±0.15 | | | |
| AS568-251 | | | 129.77 | AS568-315 | 19.99 | | | | |
| AS568-252 | | | 132.94 | AS568-316 | 21.59 | | | | |
| AS568-253 | | | 136.12 | AS568-317 | 23.16 | | | | |
| AS568-254 | | | 139.29 | AS568-318 | 24.76 | | | | |
| AS568-255 | | | 142.47 | AS568-319 | 26.34 | ±0.25 | | | |
| AS568-256 | | | 145.64 | AS568-320 | 27.94 | | | | |
| AS568-257 | | | 148.82 | AS568-321 | 29.51 | | | | |
| AS568-258 | | | 151.99 | AS568-322 | 31.12 | | | | |
| AS568-259 | | | 158.34 | AS568-323 | 32.69 | | | | |
| AS568-260 | | | 164.69 | AS568-324 | 34.29 | ±0.38 | | | |
| AS568-261 | | | 171.04 | AS568-325 | 37.46 | | | | |
| AS568-262 | | | 177.39 | AS568-326 | 40.64 | | | | |
| AS568-263 | | | 183.74 | AS568-327 | 43.82 | | | | |
| AS568-264 | | | 190.09 | AS568-328 | 46.99 | | | | |
| AS568-265 | | | 196.44 | AS568-329 | 50.16 | ±0.38 | | | |
| AS568-266 | | | 202.79 | AS568-330 | 53.34 | | | | |
| AS568-267 | | | 209.14 | AS568-331 | 56.52 | | | | |
| AS568-268 | | | 215.49 | AS568-332 | 59.69 | | | | |
| AS568-269 | | | 221.84 | AS568-333 | 62.86 | | | | |
| AS568-270 | | | 228.19 | AS568-334 | 66.04 | ±0.38 | | | |
| AS568-271 | | | 234.54 | AS568-335 | 69.22 | | | | |
| AS568-272 | | | 240.89 | AS568-336 | 72.39 | | | | |
| AS568-273 | | | | 247.24 | AS568-337 | 75.56 | | | |

AS568계열

| 표준규격 | O-RING 사이즈 | | | | 표준규격 | O-RING 사이즈 | | | |
|-----------|------------|-------|----------|-----------|-----------|------------|-------|----------|-------|
| | T/오차범위 | | I.D/오차범위 | | | T/오차범위 | | I.D/오차범위 | |
| AS568-338 | 5.33 | ±0.12 | 78.74 | ±0.38 | AS568-378 | 5.33 | ±0.12 | 266.07 | ±0.76 |
| AS568-339 | | | 81.92 | | AS568-379 | | | 278.77 | |
| AS568-340 | | | 85.09 | | AS568-380 | | | 291.47 | |
| AS568-341 | | | 88.26 | | AS568-381 | | | 304.17 | |
| AS568-342 | | | 91.44 | | AS568-382 | | | 329.57 | |
| AS568-343 | | | 94.62 | | AS568-383 | | | 354.97 | |
| AS568-344 | | | 97.79 | | AS568-384 | | | 380.37 | |
| AS568-345 | | | 100.96 | | AS568-385 | | | 405.26 | ±1.14 |
| AS568-346 | | | 104.14 | | AS568-386 | | | 430.66 | |
| AS568-347 | | | 107.32 | | AS568-387 | | | 456.06 | |
| AS568-348 | | | 110.49 | | AS568-388 | | | 481.46 | |
| AS568-349 | | | 113.66 | | AS568-389 | | | 506.86 | |
| AS568-350 | | | 116.84 | | AS568-390 | | | 532.26 | |
| AS568-351 | | | 120.02 | | AS568-391 | | | 557.66 | ±1.52 |
| AS568-352 | | | 123.19 | | AS568-392 | | | 582.68 | |
| AS568-353 | | | 126.36 | | AS568-393 | | | 608.08 | |
| AS568-354 | | | 129.54 | AS568-394 | 633.48 | | | | |
| AS568-355 | | | 132.72 | AS568-395 | 658.88 | ±0.38 | | | |
| AS568-356 | | | 135.89 | AS568-425 | 113.66 | | | | |
| AS568-357 | | | 139.07 | AS568-426 | 116.84 | | | | |
| AS568-358 | | | 142.24 | AS568-427 | 120.02 | | | | |
| AS568-359 | | | 145.42 | AS568-428 | 123.19 | | | | |
| AS568-360 | | | 148.59 | AS568-429 | 126.36 | | | | |
| AS568-361 | | | 151.77 | AS568-430 | 129.54 | | ±0.58 | | |
| AS568-362 | | | 158.12 | AS568-431 | 132.72 | | | | |
| AS568-363 | | | 164.47 | AS568-432 | 135.89 | | | | |
| AS568-364 | | | 170.82 | AS568-433 | 139.06 | | | | |
| AS568-365 | | | 177.17 | AS568-434 | 142.24 | | | | |
| AS568-366 | | | 183.52 | AS568-435 | 145.42 | | | | |
| AS568-367 | | | 189.87 | AS568-436 | 148.59 | | ±0.58 | | |
| AS568-368 | | | 196.22 | AS568-437 | 151.76 | | | | |
| AS568-369 | | | 202.57 | AS568-438 | 158.12 | | | | |
| AS568-370 | | | 208.92 | AS568-439 | 164.46 | | | | |
| AS568-371 | | | 215.27 | AS568-440 | 170.82 | | | | |
| AS568-372 | | | 221.62 | AS568-441 | 177.16 | ±0.76 | | | |
| AS568-373 | | | 227.96 | AS568-442 | 183.52 | | | | |
| AS568-374 | | | 234.32 | AS568-443 | 189.86 | | | | |
| AS568-375 | | | 240.67 | AS568-444 | 196.22 | | | | |
| AS568-376 | | | 247.02 | AS568-445 | 202.56 | | | | |
| AS568-377 | | | 253.37 | AS568-446 | 215.26 | | | | |

AS568계열

| 표준규격 | O-RING 사이즈 | | | |
|-----------|------------|-------|----------|-------|
| | T/오차범위 | | I.D/오차범위 | |
| AS568-447 | 6.98 | ±0.15 | 227.96 | ±0.76 |
| AS568-448 | | | 240.66 | |
| AS568-449 | | | 253.36 | |
| AS568-450 | | | 266.06 | |
| AS568-451 | | | 278.76 | |
| AS568-452 | | | 291.46 | |
| AS568-453 | | | 304.16 | |
| AS568-454 | | | 316.86 | |
| AS568-455 | | | 329.56 | |
| AS568-456 | | | 342.26 | |
| AS568-457 | | | 354.96 | |
| AS568-458 | | | 367.66 | |
| AS568-459 | | | 380.36 | |
| AS568-460 | | | 393.06 | |
| AS568-461 | | | 405.26 | ±1.14 |
| AS568-462 | | | 417.96 | |
| AS568-463 | | | 430.66 | |
| AS568-464 | | | 443.36 | |
| AS568-465 | | | 456.06 | |
| AS568-466 | | | 468.76 | |
| AS568-467 | | | 481.46 | |
| AS568-468 | | | 494.16 | |
| AS568-469 | | | 506.86 | |
| AS568-470 | | | 532.46 | |
| AS568-471 | | | 557.66 | ±1.52 |
| AS568-472 | | | 582.68 | |
| AS568-473 | | | 608.08 | |
| AS568-474 | | | 633.48 | |
| AS568-475 | | | 658.88 | |